

Data Structures

Data types
Control Structures



Last time

- Basics of data structures
↳ C++

- Lab 1 - due via email
Friday

Today More C++!

Python

```
1 def gcd(u, v):
2     # we will use Euclid's algorithm
3     # for computing the GCD
4     while v != 0:
5         r = u % v # compute remainder
6         u = v
7         v = r
8     return u
9
10 if __name__ == '__main__':
11     a = int(raw_input('First value: '))
12     b = int(raw_input('Second value: '))
13     print 'gcd:', gcd(a,b)
```

C++

```
1 #include <iostream>
2 using namespace std;
3
4 int gcd(int u, int v) {
5     /* We will use Euclid's algorithm
6        for computing the GCD */
7     int r;
8     while (v != 0) {
9         r = u % v; // compute remainder
10        u = v;
11        v = r;
12    }
13    return u;
14 }
15
16 int main() {
17     int a, b;
18     cout << "First value: ";
19     cin >> a;
20     cout << "Second value: ";
21     cin >> b;
22     cout << "gcd: " << gcd(a,b) << endl;
23     return 0;
24 }
```

function

std::cout

Figure 1: Programs for computing a greatest common divisor, as written in Python and C++.

Compiling

In Python, you save myfile.py

↳ then type:

> python myfile.py

to run it

In C++:

- save as myfile.cpp

- type > g++ -o myfile myfile.cpp
optional

- type > ./myfile

(no -o : ./a.out)

Other way: Makefiles

↳ more later

Data Types

C++ Type	Description	Literals	Python analog
bool	logical value	true false	bool
short	integer (often 16 bits)		
int	integer (often 32 bits)	39	
long	integer (often 32 or 64 bits)	39L	int
—	integer (arbitrary-precision)		long
float	floating-point (often 32 bits)	3.14f	
double	floating-point (often 64 bits)	3.14	float
char	single character	'a'	
string^a	character sequence	"Hello"	str

Figure 2: The most common primitive data types in C++.

^aNot technically a built-in type; included from within standard libraries.

Ex: *type name*
int x = 5;
x = x + 10;
x++ ; *← post increment*
++x;
cout << x++ ;

More: unsigned int x = 10;

- Ints can also be unsigned:
range from 0 to $2^b - 1$
instead of $-(2^{b-1})$ to $(2^{b-1} - 1)$

- Strings and chars are very different:

• Chars are actually just ASCII numbers

A = 1..?

• Strings - a completely different beast, & not built in

Ex

```
import <string> standard  
using namespace template std; library
```

```
char a;  
a = 'a';  
a = 'h';
```

```
string word;  
word = "CSCI 3100";
```

For more: Cplusplus.com
+ search "string"

From transition guide:

Syntax	Semantics
s.size() s.length()	Either form returns the number of characters in string s.
s.empty()	Returns true if s is an empty string, false otherwise.
s[index]	Returns the character of string s at the given index (unpredictable when index is out of range).
s.at(index)	Returns the character of string s at the given index (throws exception when index is out of range).
s == t	Returns true if strings s and t have same contents, false otherwise.
s < t	Returns true if s is lexicographical less than t, false otherwise.
s.compare(t)	Returns a negative value if string s is lexicographical less than string t, zero if equal, and a positive value if s is greater than t.
s.find(pattern) s.find(pattern, pos)	Returns the least index (greater than or equal to index pos, if given), at which pattern begins; returns string::npos if not found.
s.rfind(pattern) s.rfind(pattern, pos)	Returns the greatest index (less than or equal to index pos, if given) at which pattern begins; returns string::npos if not found.
s.find_first_of(charset) s.find_first_of(charset, pos)	Returns the least index (greater than or equal to index pos, if given) at which a character of the indicated string charset is found; returns string::npos if not found.
s.find_last_of(charset) s.find_last_of(charset, pos)	Returns the greatest index (less than or equal to index pos, if given) at which a character of the indicated string charset is found; returns string::npos if not found.
s + t	Returns a concatenation of strings s and t.
s.substr(start)	Returns the substring from index start through the end.
s.substr(start, num)	Returns the substring from index start, continuing num characters.
s.c_str()	Returns a C-style character array representing the same sequence of characters as s.

Figure 3: Nonmutating behaviors supported by the **string** class in C++.

Syntax	Semantics
s[index] = newChar	Mutates string s by changing the character at the given index to the new character (unpredictable when index is out of range).
s.append(t)	Mutates string s by appending the characters of string t.
s += t	Same as s.append(t).
s.insert(index, t)	Inserts copy of string t into string s starting at the given index.
s.insert(index, num, c)	Inserts num copies of character c into string s starting at the given index.
s.erase(start)	Removes all characters from index start to the end.
s.erase(start, num)	Removes num characters, starting at given index.
s.replace(index, num, t)	Replace num characters of current string, starting at given index, with the first num characters of t.

Figure 4: Mutating behaviors supported by the **string** class in C++.

Operations:

Python	C++	Description
Arithmetic Operators		
<code>-a</code>	<code>-a</code>	(unary) negation
<code>a + b</code>	<code>a + b</code>	addition
<code>a - b</code>	<code>a - b</code>	subtraction
<code>a * b</code>	<code>a * b</code>	multiplication
▷ <code>a ** b</code>		exponentiation
<code>a / b</code>	<code>a / b</code>	standard division (depends on type)
▷ <code>a // b</code>		integer division
<code>a % b</code>	<code>a % b</code>	modulus (remainder)
▷	<code>++a</code>	pre-increment operator
▷	<code>a++</code>	post-increment operator
▷	<code>--a</code>	pre-decrement operator
▷	<code>a--</code>	post-decrement operator
Boolean Operators		
▷ <code>and</code>	<code>&&</code>	logical and
▷ <code>or</code>	<code> </code>	logical or
▷ <code>not</code>	<code>!</code>	logical negation
▷ <code>a if cond else b</code>	<code>cond ? a : b</code>	conditional expression
Comparison Operators		
<code>a < b</code>	<code>a < b</code>	less than
<code>a <= b</code>	<code>a <= b</code>	less than or equal to
<code>a > b</code>	<code>a > b</code>	greater than
<code>a >= b</code>	<code>a >= b</code>	greater than or equal to
<code>a == b</code>	<code>a == b</code>	equal
▷ <code>a < b < c</code>	<code>a < b && b < c</code>	chained comparison
Bitwise Operators		
<code>~a</code>	<code>~a</code>	bitwise complement
<code>a & b</code>	<code>a & b</code>	bitwise and
<code>a b</code>	<code>a b</code>	bitwise or
<code>a ^ b</code>	<code>a ^ b</code>	bitwise XOR
<code>a << b</code>	<code>a << b</code>	bitwise left shift
<code>a >> b</code>	<code>a >> b</code>	bitwise right shift

Figure 5: Python and C++ operators, with differences noted by ▷ symbol.

Mutable vs immutable

↑ *changable*

↑ *stack*

Sanity check (& recap of last class):
difference?

list vs int, string

In C++:

Maximum flexibility - everything
is mutable by default!

```
string word;  
word = "Hello";  
word[0] = 'J';
```

Even ints:

```
int x = 64;  
x << 2;
```

Creating variables:

All must be explicitly created!

(+ given a type)

→ this is what "static" means

Ex:

```
int number;
```

```
int a, b; ← NOT int a, char b;
```

↳ ERROR

```
int age(24);
```

```
int age2(currYear - birthYear);
```

```
string greeting("Hello");
```

Immutable

- You can force immutability:

```
const float gravity (-9.8);
```

Why?

Forces the program
not to alter the value.

(Esp important if
accepting input!)

Converting: be careful!

```
int a(5);  
double b;  
b = a;
```

} b = 5.0

```
int a;  
double b(2.67);  
a = b;
```

} a = 2

```
char x = 'a';  
a = x;
```

a = 97

- Can't convert string \leftrightarrow #s.
But can convert chars \leftrightarrow #s.

So ok: if word is a string.

```
word[2]++;
```

```
word[0] = '2';
```

↑ 'x'

Control Structures

C++ has loops, conditionals, functions, ~~+~~ classes.

Syntax will be similar, but not the same.

(Remember: Check cplusplus.com or transition guide in a pinch!)

I'll do a quick overview
in class

(but expect you to check
syntax on these 1st
questions.)

While loops

```
while (bool)
{
  body;
}
```

line 2

$x > 5$

```
while (bool) { body; }
```

- bool is any boolean expression
- don't need { } if only 1 line:

```
while (a < b) } while (a < b) a++;
  a++;
```

- Careful! Problem?

```
while (x < 0)
  x = x + 5;
  cout << x;
```

For loops

Not iterator based!

Ex:
for (~~int~~ ^{initialization} count = 10; ^{boolean} count > 0; ^{post condition} count--)
cout << count << endl;
cout << "Blastoff!" << endl;

Notes:

while equivalent:
std::endl
'\n'

```
int count = 10;  
while (count > 0) {  
    cout << ...  
    count --;  
}  
cout << ...
```

```
for ( ; ; ) { do something; }  
for (int count = 10; count > 0; count --) { ... }
```

Functions

Syntax:

```
void countdown()  
{  
    for (int count = 10; count > 0; count--)  
        cout << count << endl;  
}
```

fn name
inputs

no return
void countdown(start, end) {

Or:

```
void countdown(int start=10, int end=1) {  
    for (int count = start; count >= end; count--)  
        cout << count << endl;  
}
```

optional
parameters

return type is
type of function

Conditional

```
if (bool) {  
    body 1;  
} else {  
    body 2;  
}
```

Ex:

```
if (x < 0)  
    x = -x;
```

```
if (groceries.length() > 15)  
    cout << "Go to the grocery store" << endl;  
else if (groceries.contains("milk"))  
    cout << "Go to the convenience store" << endl;
```