Review questions for midterm

- 1. What is a regular expression? What is a DFA/NFA? (See questions on the homework relating to these concepts.)
- 2. What is a context free grammar? (Again, see homework questions.)
- 3. What is a LL grammar? What is an LR grammar? Why are they useful classes to consider?
- 4. Be able to construct FIRST and FOLLOW sets for an LL grammar, and the predictive parsing table. (See examples from class, as well as the homework.)
- 5. What is a leftmost versus a rightmost derivation? Be able to construct these, as well as parse trees.
- 6. What is lex/flex? (Recall basic rules, etc.)
- 7. What is the goal of tokenizing? Why is it done separately from parsing?
- 8. What is the big-O complexity of parsing? (HInt: there isn't one answer to this question!)
- 9. What is binding time?
- 10. What is the advantage of binding as early as possible? Why do we delay bindings despite this in some languages?
- 11. What do lifetime and visibility mean in the context of binding?
- 12. What do we mean by the scope of a binding?
- 13. What is dynamic scoping (versus static scoping)?
- 14. What is elaboration?
- 15. What is a closed scope?
- 16. What does the use of dynamic scoping imply the need for run-time type checking?
- 17. Explain the differences (and similarities) between overloading, coercion, and polymorphism. Give an example of each of them in a programming language.

- 18. What is the difference between the reference model of variables and the value model? Why is the distinction so important? Give examples of languages that use each model.
- 19. Why is the distinction between mutable and immutable variables so important in a language with a reference model for variables? (Hint: Think Python.)
- 20. List a few of the main uses for goto, and the (much better) alternatives for each.
- 21. What is a continuation?
- 22. Why do languages provide case statements if they already have if-then-else statements?
- 23. Why do many languages require that the step size of an enumeration controlled loop be a compile-time constant? In a similar vein, why do languages not allow the bounds of increment of an enumeration controlled loop to be floating-point numbers?
- 24. What are the advantages and disadvantages of making the index variable local to the loop it controls?
- 25. What is tail-recursion, and why is it important?
- 26. What is lazy evaluation? When is it used, and why? Give an example of a language where it is used.
- 27. Define and compare/contrast the following: strongly typed, statically typed, dynamically typed, weakly typed
- 28. Give two examples of languages that lack a boolean type. What do they use instead? What are some advantages and disadvantages of this model?
- 29. What is the difference between type equivalence and type compatability?
- 30. What are structural and name equivalence? Discuss comparative advantages, and give examples of languages that use each.
- 31. What are strict and loose name equivalence?
- 32. Under what circumstances does a type conversion require a run-time check? Give at least 2 examples.
- 33. What are "holes" in records? When do they arise, and what are the strategies that are used to minimize the problems they cause?

- 34. Under what circumstances can an array declared within a subroutine be allocated in the stack? Under what circumstances can it be allocated in the heap?
- 35. What is the difference between row-major and column-major layouts of arrays, and why should a programmer care which one is used?
- 36. What are dangling references? When are they created, and why are they a problem?
- 37. What is garbage collecting? Describe the reference count model of garbage collecting, and explain briefly why it doesn't always work.
- 38. Why was automatic garbage collection so slow to be adopted by modern programming languages? (In other words, what are the disadvantages of automatic garbage collection?)
- 39. Most statically typed languages since the 1970s (like Java and C#) use some form of name equivalence. Is structural equivalence a bad idea? Why or why not?
- 40. What type of information is added to the stack within a frame when a new function is called?
- 41. What is a dynamic link on the frame, and what is a static link?
- 42. What is the calling sequence, and what is the prolog and epilog in the context of a function call? What is one reason to put more code in one versus the other?
- 43. What is an inline function? Why are they used?
- 44. What are the 3 basic parameter passing paradigms? What are a few advantages or disadvantages of each?
- 45. Why does exception code need to "unwind the stack"? How is this handled?
- 46. What is a module and a module type? How are these precursors to object orientation?
- 47. What are the fundamental concepts of object orientation? Be able to explain them, and give a simple example of what each means.
- 48. What is dynamic method binding in the context of objects? How is it implemented in the context of inheritance?